

IP Camera IWC-606R/606RW

RTSP MPEG4/JPEG Night Vision IP Camera

802.11g RTSP MPEG4/JPEG Night Vision IP Camera

Overview

IWC-606R/606RW is a versatile MPEG4/MJPEG IP camera with audio support, suitable for use during day or night. It supports Samba and comes bundled with a free 16 channel recording software.



Features


- Video/Audio surveillance camera for Home/Office security purpose
- Support Snapshot/Video recording at IE browser directly
- Scaling up video to SVGA resolution by software skill
- Built- in Samba function to store image/video at local area network directly
- MPEG4/MJPEG dual codec for streaming video
- Support multi-streaming for VGA, QVGA, QQVGA
- Support RTSP - Real Time Streaming Protocol
- Built - in microphone for audio monitoring
- Built - in Motion Detection & Email Notification
- 6 IR leds with auto light sensor for day and night monitoring
- Compact size with stylish design
- Adjustable manual focus, auto white balance, auto exposure control
- Free bundled 16CH recording software

Specifications

System	<ul style="list-style-type: none"> ● RAM: 32MB SDRAM ● ROM: 8MB Flash ROM
Infrared Led	<ul style="list-style-type: none"> ● Auto/manual mode ● Daylight sensor, angle +/-60, wave length 400~700nm ● Spectral band width 42nm, Peak emission wavelength 850nm
Protocol	<ul style="list-style-type: none"> ● TCP/IP, HTTP, SMTP, FTP, DDNS, UPnP, Telnet, NTP, PPPoE, DNS, DHCP and RTSP
WLAN (Wireless Model Only)	<ul style="list-style-type: none"> ● 802.11b/g wireless LAN ● Security WEP/WPA-PSK/WPA2-PSK
Algorithm supported	<ul style="list-style-type: none"> ● MPEG4/MJPEG dual codec for streaming video ● JPEG for still image
Physical	<ul style="list-style-type: none"> ● 10 baseT or 100 baseT Fast Ethernet auto negotiation
Camera specification	<ul style="list-style-type: none"> ● 1/6 inch color CMOS sensor, Resolution: 640x480 ● 1.3Lux/F2.0 ● AGC, AWB, AEC
Lens	<ul style="list-style-type: none"> ● Fixed focal with fine tuning, 4.0mm, F2.0 ● View angle 62 degree
Video Resolution	<ul style="list-style-type: none"> ● Up to 30 frames at 160x120 ● Up to 30 frames at 320x240 ● Up to 30 frames at 640x480
Audio	<ul style="list-style-type: none"> ● AMR/G.726 ● Omni-directional Microphone ● Frequency: 50 – 20000Hz S/N ● ratio: more than 55dB
Power	<ul style="list-style-type: none"> ● Input: 100-240VAC, 50/60Hz, 0.5A ● Output: 5VDC, 1.5A ● Consumption: Max 5W
Dimension	<ul style="list-style-type: none"> ● 108 x 67 x 28 (mm)

Weight	<ul style="list-style-type: none"> ● NET. 120g (Wired Model) ● NET. 130g (Wireless Model)
Operating Environment	<ul style="list-style-type: none"> ● Temperature : 0 - 40°C ● Humidity : 85% RH
Regulatory Compliance	<ul style="list-style-type: none"> ● CE, FCC

Application



Ordering Information

IWC-606R : RTSP MPEG4/JPEG Night Vision IP Camera

IWC-606RW : 802.11g RTSP MPEG4/JPEG Night Vision IP Camera

** Product specification subject to change without notice.*

Toplink C&C Corporation

3F, No. 4, Lane 609, Sec. 5, Chung Hsin Rd.,
San Chung City, Taipei Hsien 241, Taiwan, R.O.C.
Email: sales@linkpro.com.tw Tel: 886-2-22789851 (REP.)
<http://www.linkpro.com.tw>